

View Online at <https://aerobasegroup.com/nsn/5340-01-377-2457>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 50.0 millimeters and 52.0 millimeters

**Second Leg Length:**

Between 160.3 millimeters and 162.3 millimeters

**Second Leg Width:**

Between 46.0 millimeters and 48.0 millimeters

**First Leg Hole Diameter:**

Between 17.40 millimeters and 17.75 millimeters

**Second Leg Hole Diameter:**

Between 9.92 millimeters and 10.20 millimeters

**Second Leg Distance Between Hole Centers Along Length:**

49.8 major mils and 51.8 major centimeters

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 15.5 millimeters and 17.5 millimeters

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 18.1 millimeters and 20.1 millimeters

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

Between 46.0 millimeters and 48.0 millimeters

**First Leg Distance From Edge To Hole Center Along Width:**

Between 21.4 millimeters and 23.4 millimeters

**First Leg Distance From Edge To Hole Center Along Length:**

Between 19.8 millimeters and 21.8 millimeters

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel

**Material Specification:**

Astm a28 assn standard single material response

**Surface Treatment:**

Plastic polyurethane

**Surface Treatment Specification:**

Mil-c-46168 military specification single treatment response or mil-c-53039 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-46168 spec.