NSN 5340-01-380-1577

Spacing Threaded Standoff - Page 1 of 1



/iew Online at https://aerobasegroup.com/nsn/5340-01-380-1577

View Online at https://aerobasegroup.com/nsn/5340-01-380-1577
Thread Class:
2a left internal (includes through thread)
Thread Direction:
Right-hand left internal (includes through thread)
Thread Length:
0.2600 inches left internal (includes through thread)
Length:
0.2400 inches
Cross-sectional Shape:
Hexagon
Width Across Flats:
0.2500 inches
Thready Qty Per Inch (tpi):
32 left internal (includes through thread)
Thread Size:
0.1380 inches left internal (includes through thread)
Right Projection Diameter:
0.1380 inches
Right Projection Length:
0.2600 inches
Material:
Steel comp 303 or steel comp 303 plus x or steel comp 303cu or steel comp 303ma or steel comp 303se or steel comp 416 or steel
comp 416se or steel comp 430f or steel comp 430fse
Material Specification:
Mil-w-52263 military specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072-e300 military specification single treatment response
Style Designator:
Projection one end w/ right external thread
Thread Series Designator:
Unc left internal (includes through thread)
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A08900

Mil-w-52263 spec.

Mil-std (military Standard):