

View Online at <https://aerobasegroup.com/nsn/5340-01-381-3901>

Mounting Hole Type:

Plain

First Leg Length:

19.5 millimeters

Second Leg Length:

71.0 millimeters

Second Leg Width:

200.0 millimeters

Second Leg Corner Radius:

25.0 millimeters

First Leg Hole Diameter:

8.9 millimeters

Second Leg Hole Diameter:

9.6 millimeters

Second Leg Distance Between Hole Centers Along Width:

131.76 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

34.12 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

11.0 millimeters

First Leg Thickness:

0.180 inches

Second Leg Thickness:

0.180 inches

First Leg Width:

200.0 millimeters

First Leg Distance Between Hole Centers Along Width:

155.0 millimeters

First Leg Distance From Edge To Hole Center Along Width:

22.5 millimeters

First Leg Distance From Edge To Hole Center Along Length:

15.5 millimeters

First Leg Style:

Cut out

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

First Leg Cutout Length:

35.0 millimeters

First Leg Cutout Width:

110.0 millimeters

Special Features:

Add hole 2nd leg 12.7 mm dia; cutout 2nd leg 47.0 nom in. Wd by 110.0 mm lg

Material:

Steel comp 1009

Material Specification:

Astma569 assn standard single material response

Surface Treatment:

Paint

Surface Treatment Specification:

Mil-p-14105 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-p-14105 spec.