

View Online at <https://aerobasegroup.com/nsn/5340-01-382-5811>

Mounting Hole Type:

Plain

First Leg Length:

1.120 inches

Second Leg Length:

2.500 inches

End Application:

An/alq-18 (v) ecm system

Second Leg Width:

1.920 inches

First Leg Hole Diameter:

Between 0.153 inches and 0.159 inches

Second Leg Hole Diameter:

Between 0.159 inches and 0.163 inches

Second Leg Distance Between Hole Centers Along Width:

1.300 inches

Second Leg Distance Between Hole Centers Along Length:

1.510 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.150 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.150 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

1.000 inches

First Leg Distance Between Hole Centers Along Width:

1.300 inches

First Leg Distance Between Hole Centers Along Length:

2.200 inches

First Leg Distance From Edge To Hole Center Along Width:

0.150 inches

First Leg Distance From Edge To Hole Center Along Length:

0.150 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Item is part of an assembly requiring 4 stud captive p/n 153061-84

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Milc-5541 cl 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

spec.