

View Online at <https://aerobasegroup.com/nsn/5340-01-383-2407>

Mounting Hole Type:

Plain

First Leg Length:

1.120 inches

Second Leg Length:

1.120 inches

First Leg Hole Diameter:

Between 0.180 inches and 0.220 inches

First Leg Thickness:

0.060 inches

Second Leg Thickness:

0.060 inches

Center Section Height:

1.440 inches

Center Section Width:

Between 1.840 inches and 1.880 inches

Center Section Thickness:

0.060 inches

First Leg Width:

1.440 inches

First Leg Distance From Edge To Hole Center Along Width:

0.680 inches

First Leg Distance From Edge To Hole Center Along Length:

0.300 inches

First Leg Style:

Cut out

First Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

First Leg Cutout Length:

0.030 inches

First Leg Cutout Width:

0.440 inches

Special Features:

Dwg name-support, shield, fire extinguisher handle; bend relief required in 2 places- 1st and 2nd leg; middle section has an aperture, 1.38 in wide along length by 1.12 in long, along width; color white

Material:

Steel

Material Specification:

Qq-s-698 federal specification single material response

Surface Treatment:

Enamel semigloss or primer

Surface Treatment Specification:

Tt-e-529 federal specification 1st treatment response and tt-p-659 federal specification 2nd treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0