## NSN 5340-01-385-1552



Double Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-385-1552 **Mounting Hole Type:** Plain First Leg Length: 3.430 inches Second Leg Length: 3.430 inches Reinforcement Method (non-core): Gusset both legs First Leg Hole Diameter: 0.687 inches First Leg Thickness: 0.080 inches Second Leg Thickness: 0.080 inches **Center Section Height:** 0.080 inches **Center Section Width:** 1.690 inches **Center Section Thickness:** 0.080 inches First Leg Width: 1.690 inches First Leg Distance From Edge To Hole Center Along Width: 0.550 inches First Leg Distance From Edge To Hole Center Along Length: 0.700 inches First Leg Distance Between First And Second Hole Centers Along Length: First Leg Distance Between Second And Third Hole Centers Along Length: 1.060 inches First Leg End Radius: 0.600 inches First Leg Style: End radius and tapered First Leg Hole Arrangement Style: Three holes Second Leg Relationship To First Leg: Identical First Leg Angle: 90.0 degrees

**Second Leg Angle:** 90.0 degrees

## NSN 5340-01-385-1552

Double Angle Bracket - Page 2 of 2



Special Features:
2 nut plates ms 21075l08n riveted to ea leg
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-250/11 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8626 military specification single treatment response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0

Mil-std (military Standard):

Mil-a-8626 spec.