

View Online at <https://aerobasegroup.com/nsn/5340-01-385-2760>

Mounting Hole Type:

Counterbored and plain

First Leg Length:

0.890 inches

Second Leg Length:

1.070 inches

Second Leg Width:

4.240 inches

First Leg Hole Diameter:

Between 0.256 inches and 0.261 inches

Second Leg Hole Diameter:

Between 0.412 inches and 0.419 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.750 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

1.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.370 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Thickness:

0.100 inches

Second Leg Thickness:

0.100 inches

Center Section Height:

1.500 inches

Center Section Width:

4.240 inches

Center Section Thickness:

0.100 inches

First Leg Width:

4.240 inches

First Leg Distance Between Hole Centers Along Width:

2.250 inches

First Leg Distance From Edge To Hole Center Along Width:

1.050 inches

First Leg Distance From Edge To Hole Center Along Length:

0.220 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

Opposite of 2216267-004

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11 t4 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 cl 1a military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.