# NSN 5340-01-386-9663

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-386-9663

Mounting Hole Type:
Plain
First Leg Length:
106.0 millimeters
Second Leg Length:
106.0 millimeters
Second Leg Width:
110.0 millimeters
First Leg Hole Diameter:
17.5 millimeters
Second Leg Hole Diameter:
17.5 millimeters
Second Leg Distance Between Hole Centers Along Width:
71.0 millimeters
Second Leg Distance From Edge To Hole Center Along Width:
20.0 millimeters
Second Leg Distance From Edge To Hole Center Along Length:
36.5 millimeters
First Leg Thickness:
10.0 millimeters
Second Leg Thickness:
10.0 millimeters
Center Section Height:
231.0 millimeters
Center Section Width:
140.0 millimeters
Center Section Thickness:
10.0 millimeters
First Leg Width:
140.0 millimeters
First Leg Distance Between Hole Centers Along Width:
78.0 millimeters
First Leg Distance From Edge To Hole Center Along Width:
20.0 millimeters
First Leg Distance From Edge To Hole Center Along Length:
36.5 millimeters
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Square

# NSN 5340-01-386-9663

Double Angle Bracket - Page 2 of 2



#### Second Leg Hole Arrangement Style:

Two holes

#### Second Leg Relationship To First Leg:

Not identical

#### First Leg Angle:

90.0 degrees

### Second Leg Angle:

90.0 degrees

#### Material:

Steel

#### **Material Specification:**

Astm a36 assn standard single material response or stm a570 grade 36 assn standard single material response

#### **Surface Treatment:**

Plastic polyurethane

#### Surface Treatment Specification:

Mil-c-46168 military specification single treatment response

#### Style Designator:

Adjacent angles

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

## Fiig:

A042a0

### Mil-std (military Standard):

Mil-c-46168 spec.