

View Online at <https://aerobasegroup.com/nsn/5340-01-387-9339>

Mounting Hole Type:

Plain and threaded

First Leg Length:

3.0000 inches

Second Leg Length:

4.0000 inches

First Leg Hole Diameter:

0.2810 inches

First Leg Thickness:

0.2500 inches

Second Leg Thickness:

0.2500 inches

First Leg Width:

4.7500 inches

First Leg Corner Radius:

0.5000 inches

First Leg Distance Between Hole Centers Along Width:

0.2750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.1000 inches

First Leg Distance From Edge To Hole Center Along Length:

1.5000 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Special Features:

Xthe second leg has a whole dia. Of 0.2500-20-unc-2b; distance between hole centers along width is 3.9400 in.; distance from edge to hole center along width is 0.4100 in.; distance from edge to hole center along length is 2.0000 in.

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-200/8 federal specification single material response

Surface Treatment:

Chromate or anodize

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response or mil-a-8625 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.