

View Online at <https://aerobasegroup.com/nsn/5340-01-388-2117>

Mounting Hole Type:

Plain

First Leg Length:

0.900 inches

Second Leg Length:

4.400 inches

Second Leg Width:

9.200 inches

Second Leg End Width:

7.700 inches

First Leg Hole Diameter:

Between 0.211 inches and 0.217 inches

Second Leg Hole Diameter:

Between 0.191 inches and 0.197 inches

Second Leg Distance Between Upper Hole Centers Along Width:

6.687 inches

Second Leg Distance Between Hole Centers Along Length:

0.750 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

3.343 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.510 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.680 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

9.000 inches

First Leg Distance Between Hole Centers Along Width:

7.000 inches

First Leg Distance From Edge To Hole Center Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.360 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Chamfer Angle:

50.0 degrees

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, tem h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.