

View Online at <https://aerobasegroup.com/nsn/5340-01-389-2378>

Mounting Hole Diameter:

Between 0.4060 inches and 0.4600 inches

Mounting Hole Type:

Plain

First Leg Length:

1.7500 inches

Second Leg Length:

1.7500 inches

First Leg Slot Length:

1.5000 inches

First Leg Slot Width:

0.6200 inches

First Leg Thickness:

0.1900 inches

Second Leg Thickness:

0.1900 inches

Center Section Height:

6.7500 inches

Center Section Width:

2.2500 inches

Center Section Thickness:

0.1900 inches

First Leg Width:

2.2500 inches

First Leg End Width:

1.7500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.5900 inches

First Leg Distance From Edge To Hole Center Along Length:

1.1200 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

0.5600 radians

Second Leg Angle:

0.5600 radians

First Leg Chamfer Angle:

Between 40.0 degrees and 50.0 degrees

Material:

Aluminum alloy 5083 or aluminum alloy 5086

Material Specification:

Qq-a-250/6 federal specification single material response or qq-a-250/7 federal specification single material response or qq-a-200/4 federal specification single material response or qq-a-200/5 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.