NSN 5340-01-389-2378

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-389-2378

Mounting Hole Diameter:			
Between 0.4060 inches and 0.4600 inches			
Mounting Hole Type:			
Plain			
First Leg Length:			
1.7500 inches			
Second Leg Length:			
1.7500 inches			
First Leg Slot Length:			
1.5000 inches			
First Leg Slot Width:			
0.6200 inches			
First Leg Thickness:			
0.1900 inches			
Second Leg Thickness:			
0.1900 inches			
Center Section Height:			
6.7500 inches			
Center Section Width:			
2.2500 inches			
Center Section Thickness:			
0.1900 inches			
First Leg Width:			
2.2500 inches			
First Leg End Width:			
1.7500 inches			
First Leg Distance From Edge To Hole Center Along Width:			
0.5900 inches			
First Leg Distance From Edge To Hole Center Along Length:			
1.1200 inches			
First Leg Style:			
Chamfered ends			
First Leg Hole Arrangement Style:			
One slot			
Second Leg Relationship To First Leg:			
Identical			
First Leg Angle:			
0.5600 radians			
Second Leg Angle:			
0.5600 radians			

First Leg Chamfer Angle:

Between 40.0 degrees and 50.0 degrees

NSN 5340-01-389-2378

Double Angle Bracket - Page 2 of 2



ΝЛ	ate	ria	
IVI	ale	:110	

Aluminum alloy 5083 or aluminum alloy 5086

Material Specification:

Qq-a-250/6 federal specification single material response or qq-a-250/7 federal specification single material response or qq-a-200/4 federal specification single material response or qq-a-200/5 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.