## NSN 5340-01-391-9697

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-391-9697
Thread Class:
3b left internal (includes through thread)
Thread Direction:
Right-hand right internal
Thread Length:
0.340 inches right internal
Hole Diameter:
Between 0.038 inches and 0.044 inches
Diameter:
Between 0.2290 inches and 0.2330 inches
Length:
Between 1.124 inches and 1.126 inches
Cross-sectional Shape:
Round
Distance From End To Hole Center:
Between 0.200 inches and 0.230 inches
Thready Qty Per Inch (tpi):
40 right internal
Hole Quantity Perpendicular To Axis:
1
Thread Size:
1.20 millimeters left internal (includes through thread)
Right Projection Diameter:
Between 0.1542 inches and 0.1557 inches
Right Projection Length:
Between 0.105 inches and 0.115 inches
Material:
Copper alloy 360
Material Specification:
Qq-b-626 alloy 360 1/2 hard federal specification single material response
Surface Treatment Specification:
Mil-g-45204 type 1 gr c cl 2 military specification single treatment response
Otale Panisanatan

Style Designator:

Projection one end left and right internal threads

**Thread Series Designator:** 

Unm left internal (includes through thread)

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

## NSN 5340-01-391-9697

Spacing Threaded Standoff - Page 2 of 2



Fiig:

A08900

Mil-std (military Standard):

Mil-g-45204 spec.