## NSN 5340-01-392-6437



Spacing Threaded Standoff - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5340-01-392-6437 **Thread Class:** 3b left internal (includes through thread) **Thread Direction:** Right-hand right external Thread Length: 0.438 inches right external **Shoulder Width Across Flats:** Between 0.304 inches and 0.316 inches **Shoulder Length:** 0.125 inches **Second Shoulder Diameter:** 0.347 inches **Second Shoulder Length:** 0.080 inches Length: 2.000 inches **Cross-sectional Shape:** Hexagon Width Across Flats: Between 0.304 inches and 0.316 inches Thready Qty Per Inch (tpi): 32 right external **Thread Size:** 0.1640 inches right external Material: Steel comp 4130 or steel comp 4140 or steel comp 8630 or steel comp 8740 **Material Specification:** Mil-s-6758 military specification 1st material response or mil-s-5626 military specification 2nd material response or mil-s-6049 military specification 3rd material response or mil-s-6050 military specification 4th material response **Style Designator:** Two shoulders left internal and right external threads **Thread Series Designator:** Unjc right external Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

Fiig:

A08900

Mil-std (military Standard):

Mil-s-6758 spec.