

View Online at <https://aerobasegroup.com/nsn/5340-01-394-6379>

**First Leg Length:**

Between 103.5 millimeters and 106.5 millimeters

**Second Leg Length:**

Between 103.5 millimeters and 106.5 millimeters

**First Leg Thickness:**

Between 13.4 millimeters and 14.4 millimeters

**Second Leg Thickness:**

Between 13.4 millimeters and 14.4 millimeters

**Center Section Height:**

Between 146.5 millimeters and 149.5 millimeters

**Center Section Width:**

Between 46.6 millimeters and 48.6 millimeters

**Center Section Thickness:**

20.2 millimeters

**First Leg Width:**

Between 146.5 millimeters and 149.5 millimeters

**First Leg End Width:**

Between 22.5 millimeters and 25.5 millimeters

**First Leg Distance Between Upper Hole Centers Along Width:**

89.4 millimeters

**First Leg Distance Between Hole Centers Along Length:**

47.4 millimeters

**First Leg Distance Between First And Second Hole Centers Along Width:**

44.7 millimeters

**First Leg Distance From Edge To Hole Center Along Width:**

29.3 millimeters

**First Leg Distance From Edge To Hole Center Along Length:**

29.0 millimeters

**First Leg Style:**

Square and tapered

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Special Features:**

There are two holes with dia. Of 25.9 mm min and 26.3 mm max.; there is one hole with a dia. Of 26.7 mm min. And 27.1 mm max.

**Material:**

Steel

**Material Specification:**

Astm-a-829 assn standard single material response or astm-a-514 assn standard single material response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A042a0