

View Online at <https://aerobasegroup.com/nsn/5340-01-394-6379>

First Leg Length:

Between 103.5 millimeters and 106.5 millimeters

Second Leg Length:

Between 103.5 millimeters and 106.5 millimeters

First Leg Thickness:

Between 13.4 millimeters and 14.4 millimeters

Second Leg Thickness:

Between 13.4 millimeters and 14.4 millimeters

Center Section Height:

Between 146.5 millimeters and 149.5 millimeters

Center Section Width:

Between 46.6 millimeters and 48.6 millimeters

Center Section Thickness:

20.2 millimeters

First Leg Width:

Between 146.5 millimeters and 149.5 millimeters

First Leg End Width:

Between 22.5 millimeters and 25.5 millimeters

First Leg Distance Between Upper Hole Centers Along Width:

89.4 millimeters

First Leg Distance Between Hole Centers Along Length:

47.4 millimeters

First Leg Distance Between First And Second Hole Centers Along Width:

44.7 millimeters

First Leg Distance From Edge To Hole Center Along Width:

29.3 millimeters

First Leg Distance From Edge To Hole Center Along Length:

29.0 millimeters

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

There are two holes with dia. Of 25.9 mm min and 26.3 mm max.; there is one hole with a dia. Of 26.7 mm min. And 27.1 mm max.

Material:

Steel

Material Specification:

Astm-a-829 assn standard single material response or astm-a-514 assn standard single material response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0