

View Online at <https://aerobasegroup.com/nsn/5340-01-394-9881>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.600 inches

**Second Leg Length:**

1.600 inches

**End Application:**

Pacer dawn

**Second Leg Width:**

0.650 inches

**First Leg Slot Length:**

0.300 inches

**First Leg Slot Width:**

0.230 inches

**Second Leg Hole Diameter:**

Between 0.114 inches and 0.120 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.550 inches

**First Leg Thickness:**

0.040 inches

**Second Leg Thickness:**

0.040 inches

**First Leg Width:**

0.450 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

0.550 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

0.550 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

3 slots

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Original drawing name emi filter bracket

**Material:**

Aluminum alloy 6061 or aluminum alloy 6063

**Material Specification:**

Qq-250/11 t651 federal specification single material response or qq-a-200 t52 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 cl3 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.