## NSN 5340-01-395-2073

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-395-2073
Mounting Hole Type: Plain
Second Leg Length:
Between 0.883 inches and 0.888 inches
End Application:
F100pw100/200 engine
First Leg Slot Length:
Between 0.485 inches and 0.505 inches
Second Leg Distance Between Hole Centers Along Width:
1.063 inches
Second Leg Distance From Edge To Hole Center Along Length:
Between 0.230 inches and 0.235 inches
Second Leg Slot Length:
Between 0.365 inches and 0.385 inches
Second Leg Slot Width:
Between 0.216 inches and 0.226 inches
First Leg Thickness:
Between 0.081 inches and 0.101 inches
Second Leg Thickness:
Between 0.081 inches and 0.101 inches
Center Section Thickness:
Between 0.081 inches and 0.101 inches
First Leg Distance Between Hole Centers Along Width:
1.158 inches
First Leg Hole Arrangement Style:
2 slots
Second Leg Hole Arrangement Style:
2 slots
Second Leg Relationship To First Leg:
Not identical
Material:
Nickel alloy
Material Specification:
Ams 5596 assn standard single material response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
Domilitarization

Demilitarization:

Yes - demil/mli

## NSN 5340-01-395-2073

Double Angle Bracket - Page 2 of 2



Fiig:

A042a0