

View Online at <https://aerobasegroup.com/nsn/5340-01-395-5900>

Mounting Hole Type:

Plain

First Leg Length:

1.500 inches

Second Leg Length:

2.500 inches

Second Leg Width:

3.250 inches

First Leg Hole Diameter:

0.187 inches

Second Leg Hole Diameter:

0.156 inches

Second Leg Distance Between Hole Centers Along Width:

2.880 inches

Second Leg Distance Between Hole Centers Along Length:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.180 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.580 inches

First Leg Thickness:

0.188 inches

Second Leg Thickness:

0.188 inches

First Leg Width:

3.250 inches

First Leg Distance Between Lower Hole Centers Along Width:

2.750 inches

First Leg Distance Between Hole Centers Along Length:

0.562 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.370 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.248 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, cl 1 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.