## NSN 5340-01-397-5937

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/psp/53/10-01-307-5037

View Online at https://aerobasegroup.com/nsn/5340-01-397-5937
Thread Class:
2b left internal (includes through thread)
Thread Direction:
Right-hand left internal (includes through thread)
Thread Length:
0.2440 inches and 0.2560 inches left internal (includes through thread)
Hole Diameter:
0.1500 inches
Diameter:
0.2500 inches
Length:
0.2500 inches
Cross-sectional Shape:
Round
Thready Qty Per Inch (tpi):
40 left internal (includes through thread)
Thread Size:
0.1120 inches left internal (includes through thread)
Right Projection Diameter:
Between 0.1840 inches and 0.1870 inches
Right Projection Length:
Between 0.0910 inches and 0.0970 inches
Material:
Aluminum alloy 3003 standoff
Material Specification:
Qq-a-225a, comp 2 , t-3 federal specification single material response standoff
Surface Treatment:
Chromate standoff
Surface Treatment Specification:
Mil-c-5541c military specification single treatment response standoff
Style Designator:
Projection one end left internal thread
Thread Series Designator:
Unc left internal (includes through thread)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig:

A08900

## NSN 5340-01-397-5937

Spacing Threaded Standoff - Page 2 of 2



Mil-std (military Standard):

Mil-c-5541c spec.