## NSN 5340-01-400-1888

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-400-1888

Manufina Hala Tanas
Mounting Hole Type:
Plain
First Leg Length:
1.250 inches
Second Leg Length:
2.000 inches
End Application:
Mrap - rg-33
Second Leg Width:
2.750 inches
Second Leg End Width:
2.250 inches
First Leg Hole Diameter:
0.810 inches
Second Leg Distance From Edge To Hole Center Along Width:
1.370 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.620 inches
Second Leg Slot Length:
2.120 inches
Second Leg Slot Width:
0.250 inches
First Leg Thickness:
0.120 inches
Second Leg Thickness:
0.120 inches
First Leg Width:
2.750 inches
First Leg Distance From Edge To Hole Center Along Width:
1.370 inches
First Leg Distance From Edge To Hole Center Along Length:
0.870 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Chamfered ends
Second Leg Hole Arrangement Style:
One slot
Second Leg Relationship To First Leg:

Not identical

## NSN 5340-01-400-1888

Angle Bracket - Page 2 of 2

No Fiig: A042a0

Mil-std (military Standard):

Mil-s-18729 spec.



First Leg Angle:
Between 100.0 degrees and 110.0 degrees
Second Leg Chamfer Angle:
Between 40.0 degrees and 50.0 degrees
Material:
Steel
Material Specification:
Astm a829 4130 through 4140 assn standard single material response or mil-s-18729 4130 military specification single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: