

View Online at <https://aerobasegroup.com/nsn/5340-01-406-1719>

**First Leg Length:**

2.000 inches

**Second Leg Length:**

1.830 inches

**Second Leg Width:**

0.250 inches

**First Leg Slot Length:**

0.500 inches

**First Leg Slot Width:**

0.281 inches

**Second Leg Hole Diameter:**

0.250 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.440 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

0.250 inches

**First Leg Distance Between Hole Centers Along Width:**

1.000 inches

**First Leg Distance Between Hole Centers Along Length:**

0.812 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Style:**

Side radius

**First Leg Hole Arrangement Style:**

4 slots

**Second Leg Style:**

Side radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/8 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625 ty3 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.