## NSN 5340-01-406-2140



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-406-2140 First Leg Length: 0.6900 inches Second Leg Length: 0.6900 inches Second Leg Width: 1.2500 inches First Leg Slot Length: 0.4000 inches First Leg Slot Width: 0.2000 inches Second Leg Hole Diameter: 0.1560 inches Second Leg Distance Between Hole Centers Along Width: 0.9200 inches Second Leg Distance From Edge To Hole Center Along Width: 0.1650 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.0760 inches First Leg Thickness: 0.0620 inches **Second Leg Thickness:** 0.0620 inches First Leg Width: 1.2500 inches First Leg Distance Between Hole Centers Along Width: 0.8750 inches First Leg Distance From Edge To Hole Center Along Width: 0.1880 inches First Leg Style: Square First Leg Hole Arrangement Style: 2 slots Second Leg Style: Cut out Second Leg Hole Arrangement Style: Second Leg Relationship To First Leg:

Two holes Not identical First Leg Angle: 0.0600 radians **Second Leg Cutout Length:** 0.5300 inches

## **NSN 5340-01-406-2140** Angle Bracket - Page 2 of 2



Second Leg Cutout Width:
0.6500 inches
Material:
Steel comp 304 or steel comp 316
Material Specification:
Qq-s-766 federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0