Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-409-0976

## **Thread Class:**

3b left internal (includes through thread)

**Thread Direction:** 

Right-hand right external

## Thread Length:

0.204 inches right external

#### Length:

0.375 millimeters

#### **Cross-sectional Shape:**

Hexagon

## Width Across Flats:

0.312 inches

Thready Qty Per Inch (tpi):

## 32 right external

**Thread Size:** 

0.138 inches right external

#### **Product Name:**

Standoff, threaded, male/female

#### Left Counterbore Depth:

0.375 millimeters

# Left Counterbore Diameter:

0.138 millimeters

## **Right Projection Diameter:**

0.138 millimeters

## **Right Projection Length:**

0.250 millimeters

#### Material:

Steel comp 203ez or steel comp 303 or steel comp 416 or steel comp 430f or steel comp 430fse

## Material Specification:

Astm-a-581 national specification single material response

# Surface Treatment:

Passivate

# Surface Treatment Specification:

Mil-f-14072 military specification single treatment response

# Style Designator:

Left internal and right external thread

# **Thread Series Designator:**

Unc right external

Shelf Life:

N/a

# Unit Of Measure:

--

# NSN 5340-01-409-0976

Spacing Threaded Standoff - Page 2 of 2



Demilitarization:

No

Fiig:

A08900

Mil-std (military Standard):

Mil-f-14072 spec.