

View Online at <https://aerobasegroup.com/nsn/5340-01-411-7158>

**Mounting Hole Type:**

Plain

**First Leg Length:**

4.0500 inches

**Second Leg Length:**

8.1300 inches

**Second Leg Width:**

1.7500 inches

**First Leg Slot Length:**

0.6100 inches

**First Leg Slot Width:**

0.5310 inches

**Second Leg Hole Diameter:**

Between 0.4010 inches and 0.4110 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.5000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.8750 inches

**First Leg Thickness:**

0.2700 inches

**Second Leg Thickness:**

0.2700 inches

**First Leg Width:**

1.7500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.9200 inches

**First Leg Style:**

Angle

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

1.0000 radians

**Special Features:**

There is gusset.

**Material:**

Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020

**Material Specification:**

Astm-a-635 assn standard single material response or astm-a-827 assn standard single material response

**Surface Treatment:**

Phosphate iron or phosphate zinc

**Surface Treatment Specification:**

Tt-c-430 assn standard single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0