

View Online at <https://aerobasegroup.com/nsn/5340-01-411-7992>

Mounting Hole Type:

Plain

First Leg Length:

0.7500 inches

Second Leg Length:

2.3700 inches

Second Leg Width:

5.7500 inches

First Leg Hole Diameter:

Between 0.2900 inches and 0.2930 inches

First Leg Thickness:

Between 0.0860 inches and 0.0940 inches

Second Leg Thickness:

Between 0.0860 inches and 0.0940 inches

Center Section Height:

1.0600 inches

Center Section Width:

5.7500 inches

Center Section Thickness:

Between 0.0860 inches and 0.0940 inches

First Leg Width:

5.7500 inches

First Leg End Width:

0.5500 inches

First Leg Distance Between Upper Hole Centers Along Width:

3.0000 inches

First Leg Distance Between Hole Centers Along Length:

1.0000 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.5000 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Chamfered ends

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.0900 radians

Second Leg Angle:

0.0900 radians

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 1a military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.