## NSN 5340-01-415-3420



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-415-3420 First Leg Length: 1.5000 inches Second Leg Length: 2.8800 inches Second Leg Width: 2.5000 inches Second Leg End Width: 2.0000 inches First Leg Hole Diameter: 0.6600 inches Second Leg Distance From Edge To Hole Center Along Width: 0.6200 inches **Second Leg Distance From Edge To Hole Center Along Length:** 1.2500 inches Second Leg Slot Length: 1.5000 inches **Second Leg Slot Width:** 0.2500 inches First Leg Thickness: 0.1250 inches **Second Leg Thickness:** 0.1250 inches First Leg Width: 2.5000 inches First Leg Distance From Edge To Hole Center Along Width: 1.2500 inches First Leg Distance From Edge To Hole Center Along Length: 0.6200 inches First Leg Style: Square First Leg Hole Arrangement Style: One hole Second Leg Style:

Chamfered ends Second Leg Hole Arrangement Style: One slot Second Leg Relationship To First Leg: Not identical First Leg Angle: 0.2500 radians Second Leg Offset Angle: 45.0 degrees

## **NSN 5340-01-415-3420** Angle Bracket - Page 2 of 2



Second Leg Chamfer Angle:
45.0 degrees
Material:
Steel comp 4130 or steel comp 4140
Material Specification:
Qq-a-626 federal specification single material response or mil-s-18729 military specification single material response
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Style Designator:
Offset angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-s-18729 spec.