## NSN 5340-01-418-0328

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-418-0328 First Leg Length: 1.940 inches Second Leg Length: 3.600 inches Second Leg Width: 1.400 inches Second Leg End Width: 0.950 inches First Leg Slot Length: 0.360 inches First Leg Slot Width: 0.150 inches Second Leg Distance From Edge To Hole Center Along Width: 0.260 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.260 inches Second Leg Slot Length: 0.360 inches Second Leg Slot Width: 0.150 inches First Leg Thickness: 0.050 inches Second Leg Thickness: 0.050 inches First Leg Width: 1.400 inches First Leg End Width: 0.710 inches First Leg Distance Between Hole Centers Along Length: 2.000 inches First Leg Distance From Edge To Hole Center Along Width: First Leg Distance From Edge To Hole Center Along Length: 0.280 inches First Leg Style: Angle First Leg Hole Arrangement Style: 2 slots Second Leg Style:

Angle **Second Leg Hole Arrangement Style:** One slot

## **NSN 5340-01-418-0328** Angle Bracket - Page 2 of 2

Mil-s-5050 spec.



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
15.0 radians
Material:
Steel comp 301
Material Specification:
Mil-s-5050 military specification single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):