## NSN 5340-01-418-3770

Unf left internal (includes through thread)

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-418-3770

Thread Class:
6g right external
Thread Direction:
Right-hand right external
Thread Length:
0.630 inches left internal (includes through thread)
Diameter:
0.500 inches
Length:
1.000 inches
Flatted Portion Length:
0.500 inches
Cross-sectional Shape:
Round
Thready Qty Per Inch (tpi):
32 left internal (includes through thread)
Distance From End To Flatted Section:
0.380 inches
Thread Size:
0.70 millimeters right external
Thread Tolerance Class:
6g external right external
Right Projection Diameter:
0.125 inches
Right Projection Length:
0.380 inches
Material:
Copper alloy 360
Material Specification:
Astm b16 alloy 360 1/2 hard assn standard single material response
Precious Material And Location:
External surfaces silver
Precious Material:
Silver
Surface Treatment:
Nickel and silver
Surface Treatment Specification:
Qq-n-290 gr c federal specification 1st treatment response and qq-s-365 type 1 gr a assn standard 2nd treatment response
Style Designator:
Left internal and right external thread
Thread Series Designator:

## NSN 5340-01-418-3770

Spacing Threaded Standoff - Page 2 of 2



_					
CI	~~	14	I i	ife:	
J.	16			HE.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A08900