NSN 5340-01-418-6193

Loop Clamp - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-418-6193

Round, unthreaded Overall Width: 0.500 inches Diameter: 0.204 inches Material Thickness: 0.051 inches Center To Center Distance Between Loop And Mounting Hole: Between 1.163 inches and 1.193 inches Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band Surface Treatment:
0.500 inches Diameter: 0.204 inches Material Thickness: 0.051 inches Center To Center Distance Between Loop And Mounting Hole: Between 1.163 inches and 1.193 inches Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Diameter: 0.204 inches Material Thickness: 0.051 inches Center To Center Distance Between Loop And Mounting Hole: Between 1.163 inches and 1.193 inches Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
0.204 inches Material Thickness: 0.051 inches Center To Center Distance Between Loop And Mounting Hole: Between 1.163 inches and 1.193 inches Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Material Thickness: 0.051 inches Center To Center Distance Between Loop And Mounting Hole: Between 1.163 inches and 1.193 inches Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Center To Center Distance Between Loop And Mounting Hole: Between 1.163 inches and 1.193 inches Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Center To Center Distance Between Loop And Mounting Hole: Between 1.163 inches and 1.193 inches Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Between 1.163 inches and 1.193 inches Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Distance From Loop Center To Tongue End: 1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
1.397 inches Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Loop Inside Diameter: 1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
1.375 inches Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Material: Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Steel comp 302 or steel comp 321 band Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Material Specification: Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Mil-s-5059 military specification 1st material response or ams 5510 assn standard 2nd material response band
Surface Treatment:
Passivate band
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response band
Style Designator:
Offset mount
Specification Data:
80205-nas1715 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Demilitarization:
Demilitarization: No
Demilitarization: No Fiig: