## NSN 5340-01-422-1153

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-422-1153 **Thread Class:** 2b right internal **Thread Direction:** Right-hand right internal Thread Length: 0.5000 inches right internal Diameter: 0.3750 inches Length: 0.3750 inches **End Application:** W/s: helicopter, seahawk h-60; helicopter, lamps mark iii, sh-60b **Cross-sectional Shape:** Round Thready Qty Per Inch (tpi): 24 left internal (includes through thread) **Thread Size:** 0.1900 inches left internal (includes through thread) **Right Projection Diameter:** Between 0.2450 inches and 0.2490 inches **Right Projection Length:** 0.1650 inches Material: Stainless steel standoff **Material Specification:** Astm-a-581 assn standard single material response standoff or astm-a-582 assn standard single material response standoff **Surface Treatment:** Anodize standoff **Surface Treatment Specification:** Mil-a-8625, type 2 military specification single treatment response standoff **Style Designator:** Projection one end left and right internal threads **Thread Series Designator:** Unc right internal Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No Fiig:

A08900

## NSN 5340-01-422-1153

Spacing Threaded Standoff - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.