# NSN 5340-01-422-1214

Spacing Threaded Standoff - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-422-1214

## **Thread Class:**

2b left internal (includes through thread)

## **Thread Direction:**

Right-hand left internal (includes through thread)

# Thread Length:

0.2500 inches left internal (includes through thread)

## Length:

0.2500 inches

## **Cross-sectional Shape:**

Hexagon

Width Across Flats:

0.1875 inches

Thready Qty Per Inch (tpi):

56 left internal (includes through thread)

## **Thread Size:**

0.0860 inches left internal (includes through thread)

## **Right Projection Diameter:**

Between 0.1360 inches and 0.1390 inches

## **Right Projection Length:**

0.2300 inches

# Material:

Steel comp 203ez standoff or steel comp 303 standoff or steel comp 303 plus x standoff or steel comp 303ma standoff or steel comp 303pb standoff or steel comp 303se standoff or steel comp 416 standoff or steel comp 416 plus x standoff or steel comp 416se standoff or steel comp 430f standoff or steel comp 430f

## **Material Specification:**

Astm-a-581 assn standard single material response standoff

# Style Designator:

Projection one end

## **Thread Series Designator:**

Unc left internal (includes through thread)

## Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

No

# Fiig:

A08900