

View Online at <https://aerobasegroup.com/nsn/5340-01-422-1222>

**Thread Class:**

2b left internal (includes through thread)

**Thread Direction:**

Right-hand left internal (includes through thread)

**Thread Length:**

0.2500 inches left internal (includes through thread)

**Length:**

0.2500 inches

**Cross-sectional Shape:**

Hexagon

**Width Across Flats:**

0.2500 inches

**Thready Qty Per Inch (tpi):**

40 left internal (includes through thread)

**Thread Size:**

0.1120 inches left internal (includes through thread)

**Right Projection Diameter:**

Between 0.1850 inches and 0.1880 inches

**Right Projection Length:**

Between 0.2270 inches and 0.2330 inches

**Material:**

Steel comp 203ez standoff or steel comp 303 standoff or steel comp 303 plus x standoff or steel comp 303ma standoff or steel comp 303pb standoff or steel comp 303se standoff or steel comp 416 standoff or steel comp 416 plus x standoff or steel comp 416se standoff or steel comp 430f standoff or steel comp 430fse standoff

**Material Specification:**

Astm-a-581 assn standard single material response standoff

**Surface Treatment:**

Passivate standoff

**Surface Treatment Specification:**

Mil-f-14072-e300 military specification single treatment response standoff

**Style Designator:**

Projection one end

**Thread Series Designator:**

Unc left internal (includes through thread)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A08900

**Mil-std (military Standard):**

Mil-f-14072-e300 spec.