

View Online at <https://aerobasegroup.com/nsn/5340-01-422-6066>

Mounting Hole Type:

Plain

First Leg Length:

0.912 inches

Second Leg Length:

1.120 inches

Second Leg Width:

10.000 inches

Second Leg Corner Radius:

0.250 inches

Second Leg Hole Diameter:

Between 0.290 inches and 0.293 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

4.500 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

4.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.062 inches

Center Section Height:

1.072 inches

Center Section Width:

10.000 inches

Center Section Thickness:

0.062 inches

First Leg Width:

10.000 inches

First Leg Corner Radius:

0.250 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Three holes

Features Provided:

Nut and mounting pad

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 cl 1a military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.