

View Online at <https://aerobasegroup.com/nsn/5340-01-424-1165>

**Thread Class:**

2b left internal (includes through thread)

**Thread Direction:**

Right-hand right external

**Thread Length:**

0.1200 inches left internal (includes through thread)

**Flange Thickness:**

Between 0.1730 inches and 0.2030 inches

**Flange Width Across Flats:**

Between 0.1730 inches and 0.2030 inches

**Cross-sectional Shape:**

Hexagon

**Width Across Flats:**

Between 0.1730 inches and 0.2030 inches

**Thread Qty Per Inch (tpi):**

56 left internal (includes through thread)

**Thread Size:**

0.1120 inches right internal

**Right Projection Diameter:**

Between 0.1061 inches and 0.1112 inches

**Right Projection Length:**

Between 0.2970 inches and 0.3270 inches

**Material:**

Steel comp 303 standoff

**Material Specification:**

Astm-a-582 assn standard single material response standoff

**Surface Treatment:**

Passivate standoff

**Surface Treatment Specification:**

Mil-s-5002 military specification single treatment response standoff

**Thread Series Designator:**

Unc right external

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A08900

**Mil-std (military Standard):**

Mil-s-5002 spec.