

View Online at <https://aerobasegroup.com/nsn/5340-01-424-6251>

**First Leg Length:**

1.1000 inches

**Second Leg Length:**

1.7500 inches

**Second Leg Width:**

6.7500 inches

**First Leg Hole Diameter:**

0.0140 inches

**Second Leg Distance Between Hole Centers Along Width:**

3.7500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.5000 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.6250 inches

**Second Leg Slot Length:**

0.6250 inches

**Second Leg Slot Width:**

Between 0.2400 inches and 0.2600 inches

**First Leg Thickness:**

0.0900 inches

**Second Leg Thickness:**

0.0900 inches

**First Leg Width:**

6.7500 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

2.7500 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

2.7500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.6250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.3500 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

0.1900 radians

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.