

View Online at <https://aerobasegroup.com/nsn/5340-01-425-5393>

**First Leg Length:**

2.0000 inches

**Second Leg Length:**

6.7500 inches

**Second Leg Width:**

5.0000 inches

**First Leg Slot Length:**

0.4370 inches

**First Leg Slot Width:**

0.4370 inches

**Second Leg Distance Between Hole Centers Along Width:**

3.0000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.0000 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.1250 inches

**Second Leg Slot Length:**

1.0000 inches

**Second Leg Slot Width:**

0.3750 inches

**First Leg Thickness:**

0.1250 inches

**Second Leg Thickness:**

0.1250 inches

**First Leg Width:**

5.0000 inches

**First Leg Distance Between Hole Centers Along Width:**

3.0000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.0000 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.9390 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

2 slots

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

0.1200 radians

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-f-14072 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-f-14072 spec.