

View Online at <https://aerobasegroup.com/nsn/5340-01-425-5393>

First Leg Length:

2.0000 inches

Second Leg Length:

6.7500 inches

Second Leg Width:

5.0000 inches

First Leg Slot Length:

0.4370 inches

First Leg Slot Width:

0.4370 inches

Second Leg Distance Between Hole Centers Along Width:

3.0000 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.0000 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.1250 inches

Second Leg Slot Length:

1.0000 inches

Second Leg Slot Width:

0.3750 inches

First Leg Thickness:

0.1250 inches

Second Leg Thickness:

0.1250 inches

First Leg Width:

5.0000 inches

First Leg Distance Between Hole Centers Along Width:

3.0000 inches

First Leg Distance From Edge To Hole Center Along Width:

1.0000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.9390 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.1200 radians

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-f-14072 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-f-14072 spec.