

View Online at <https://aerobasegroup.com/nsn/5340-01-425-5519>

First Leg Length:

1.0000 inches

Second Leg Length:

2.5000 inches

Second Leg Width:

17.5000 inches

First Leg Hole Diameter:

Between 0.2800 inches and 0.2880 inches

Second Leg Hole Diameter:

Between 0.4040 inches and 0.4110 inches

Second Leg Distance Between Hole Centers Along Width:

12.9900 inches

Second Leg Distance From Edge To Hole Center Along Width:

2.2670 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.6990 inches

First Leg Thickness:

0.1240 inches

Second Leg Thickness:

0.1250 inches

First Leg Width:

17.5000 inches

First Leg Distance Between Hole Centers Along Width:

16.5000 inches

First Leg Distance Between First And Second Hole Centers Along Width:

5.5000 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

5.5000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.5000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.3750 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.1200 radians

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-f-14072 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-f-14072 spec.