NSN 5340-01-426-1763

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-426-1763

| View Online at https://aerobasegroup.com/nsn/5340-01-426-1763 |
|---|
| First Leg Length: |
| 0.1900 inches |
| Second Leg Length: |
| 0.1900 inches |
| First Leg Thickness: |
| 0.0630 inches |
| Second Leg Thickness: |
| 0.0630 inches |
| Center Section Height: |
| 0.7500 inches |
| Center Section Width: |
| 0.2500 inches |
| Center Section Thickness: |
| 0.0620 inches |
| First Leg Width: |
| Between 8.1000 inches and 8.1200 inches |
| First Leg End Width: |
| 8.0200 inches |
| First Leg Style: |
| Chamfered ends |
| First Leg Hole Arrangement Style: |
| No hole |
| Second Leg Relationship To First Leg: |
| Identical |
| First Leg Angle: |
| 0.09 radians |
| Second Leg Angle: |
| 0.09 radians |
| First Leg Chamfer Angle: |
| 45.0 degrees |
| Special Features: |
| There are two holes with a dia. Of 0.164-32 unc-2b; they are located 0.3750 in. From side to center of hole and from end to center of hole is |
| 0.2475 in.; the two holes are located 7.6250 in from center of hole to center ofhole |
| Material: |
| Aluminum alloy 6061 |
| Material Specification: |
| Qq-a-250/11 federal specification single material response |
| Style Designator: |
| Adjacent angles |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5340-01-426-1763

Double Angle Bracket - Page 2 of 2



Demilitarization:

No

Fiig:

A042a0