## NSN 5340-01-428-6124

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-428-6124 First Leg Length: 0.900 inches Second Leg Length: 1.220 inches Second Leg Width: 3.360 inches First Leg Slot Length: 0.500 inches First Leg Slot Width: 0.250 inches Second Leg Distance Between Hole Centers Along Width: 2.440 inches Second Leg Distance From Edge To Hole Center Along Width: 0.490 inches Second Leg Slot Length: 0.700 inches Second Leg Slot Width: 0.380 inches First Leg Thickness: 0.095 inches **Second Leg Thickness:** 0.095 inches **Center Section Height:** 2.200 inches **Center Section Width:** 3.360 inches **Center Section Thickness:** 0.095 inches First Leg Width: 3.360 inches First Leg Distance Between First And Second Hole Centers Along Width: First Leg Distance Between Second And Third Hole Centers Along Width: 1.150 inches First Leg Distance From Edge To Hole Center Along Width: 0.500 inches First Leg Distance From Edge To Hole Center Along Length: 0.500 inches First Leg Style: Square

3 slots

First Leg Hole Arrangement Style:

## **NSN 5340-01-428-6124**Double Angle Bracket - Page 2 of 2



Second Leg Style:
Cut out
Second Leg Hole Arrangement Style:
2 slots
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
45.0 degrees
Second Leg Angle:
45.0 degrees
Second Leg Cutout Length:
0.620 inches
Second Leg Cutout Width:
2.000 inches
Special Features:
The slots on the second leg are open to the end of the leg
Material:
Aluminum alloy
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
<del>.</del>
Demilitarization:
No
Fiig:
A042a0