

View Online at <https://aerobasegroup.com/nsn/5340-01-429-9431>

Mounting Hole Type:

Plain

First Leg Length:

Between 1.600 inches and 1.660 inches

Second Leg Length:

Between 2.970 inches and 3.030 inches

Second Leg Width:

Between 1.220 inches and 1.280 inches

First Leg Hole Diameter:

Between 0.328 inches and 0.358 inches

Second Leg Hole Diameter:

Between 0.279 inches and 0.285 inches

Second Leg Distance Between Hole Centers Along Length:

1.125 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.485 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

First Leg Width:

Between 1.220 inches and 1.280 inches

First Leg Corner Radius:

Between 0.220 inches and 0.280 inches

First Leg Distance Between Hole Centers Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.350 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 0.220 radians and 0.280 radians

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 class 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.