NSN 5340-01-431-2436

Spacing Threaded Standoff - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5340-01-431-2436

TI	hr	ea	d	CI	ass:

2b left internal (includes through thread)

Thread Direction:

Right-hand left internal (includes through thread)

Thread Length:

0.250 inches and 0.310 inches left internal (includes through thread)

Diameter:

0.219 inches

Length:

Between 0.460 inches and 0.465 inches

End Application:

Pacer dawn

Cross-sectional Shape:

Round

Thready Qty Per Inch (tpi):

40 left internal (includes through thread)

Thread Size:

0.112 inches left internal (includes through thread)

Left Projection Diameter:

0.120 inches

Left Projection Length:

Between 0.116 inches and 0.120 inches

Special Features:

Name on drawing; spacer, long

Material:

Stainless steel

Material Specification:

Dcc 490 type xxiii mfr ref single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification 1st treatment response

Style Designator:

Projection one end left internal thread

Thread Series Designator:

Unc left internal (includes through thread)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5340-01-431-2436

Spacing Threaded Standoff - Page 2 of 2



Fiig:

A08900