

View Online at <https://aerobasegroup.com/nsn/5340-01-431-3080>

**Mounting Hole Type:**

Countersunk

**First Leg Length:**

0.5000 inches

**Second Leg Length:**

1.6200 inches

**Second Leg Width:**

1.1900 inches

**Second Leg End Width:**

1.0700 inches

**First Leg Hole Diameter:**

0.1560 inches

**Second Leg Hole Diameter:**

0.1400 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.9060 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.9060 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.1420 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.1390 inches

**First Leg Thickness:**

0.0900 inches

**Second Leg Thickness:**

0.0900 inches

**First Leg Width:**

0.8100 inches

**First Leg End Width:**

0.9300 inches

**First Leg Distance Between Hole Centers Along Width:**

0.6250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.1560 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.1600 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

0.09 radians

**First Leg Chamfer Angle:**

Between 43.0 radians and 47.0 radians

**Second Leg Chamfer Angle:**

Between 43.0 radians and 47.0 radians

**Special Features:**

There is an aperture on the longest leg with a diameter of 0.9650 in.

**Material:**

Steel comp 304

**Material Specification:**

Qq-s-766 federal specification single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0