

View Online at <https://aerobasegroup.com/nsn/5340-01-431-3080>

Mounting Hole Type:

Countersunk

First Leg Length:

0.5000 inches

Second Leg Length:

1.6200 inches

Second Leg Width:

1.1900 inches

Second Leg End Width:

1.0700 inches

First Leg Hole Diameter:

0.1560 inches

Second Leg Hole Diameter:

0.1400 inches

Second Leg Distance Between Hole Centers Along Width:

0.9060 inches

Second Leg Distance Between Hole Centers Along Length:

0.9060 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.1420 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.1390 inches

First Leg Thickness:

0.0900 inches

Second Leg Thickness:

0.0900 inches

First Leg Width:

0.8100 inches

First Leg End Width:

0.9300 inches

First Leg Distance Between Hole Centers Along Width:

0.6250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.1560 inches

First Leg Distance From Edge To Hole Center Along Length:

0.1600 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.09 radians

First Leg Chamfer Angle:

Between 43.0 radians and 47.0 radians

Second Leg Chamfer Angle:

Between 43.0 radians and 47.0 radians

Special Features:

There is an aperture on the longest leg with a diameter of 0.9650 in.

Material:

Steel comp 304

Material Specification:

Qq-s-766 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0