NSN 5340-01-432-4341

Loop Clamp - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-432-4341

Round, unthreaded Overall Length: Between 0.9219 inches and 0.9375 inches Overall Width: Between 0.3125 inches and 0.3281 inches Diameter: 0.1065 inches Material Thickness: 0.0673 inches Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a Unit Of Measure:
Between 0.9219 inches and 0.9375 inches Overall Width: Between 0.3125 inches and 0.3281 inches Diameter: 0.1065 inches Material Thickness: 0.0673 inches Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Overall Width: Between 0.3125 inches and 0.3281 inches Diameter: 0.1065 inches Material Thickness: 0.0673 inches Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Between 0.3125 inches and 0.3281 inches Diameter: 0.1065 inches Material Thickness: 0.0673 inches Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Diameter: 0.1065 inches Material Thickness: 0.0673 inches Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Material Thickness: 0.0673 inches Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Material Thickness: 0.0673 inches Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Center To Center Distance Between First And Second Holes: 0.6880 inches Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Material: Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Steel comp 1009 Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Material Specification: Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Surface Treatment: Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Phosphate zinc Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Surface Treatment Specification: Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Mil-std-171 military standard single treatment response Style Designator: Single loop Shelf Life: N/a
Style Designator: Single loop Shelf Life: N/a
Single loop Shelf Life: N/a
Shelf Life: N/a
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A12700
Mil-std (military Standard):
Mil-std-171 spec.