NSN 5340-01-432-6254



Spacing Threaded Standoff - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5340-01-432-6254 **Thread Class:** 2b left internal (includes through thread) **Thread Direction:** Right-hand left internal (includes through thread) Thread Length: 0.813 inches left internal (includes through thread) Length: Between 0.808 inches and 0.818 inches **Cross-sectional Shape:** Hexagon Width Across Flats: 0.188 inches Thready Qty Per Inch (tpi): 40 left internal (includes through thread) **Thread Size:** 0.112 inches left internal (includes through thread) Material: Aluminum alloy 6061 or aluminum alloy 2024 or aluminum alloy 2011 **Material Specification:** Qq-a-225/8 t6 federal specification 1st material response or qq-a-225/6 t4 federal specification 2nd material response or qq-a-225/3 t4 federal specification 3rd material response **Surface Treatment:** Chromate **Surface Treatment Specification:** Mil-c-5541 cl 3 military specification single treatment response **Style Designator:** Internally threaded full length **Thread Series Designator:** Unc left internal (includes through thread) **Specification Data:** 80205-nas1831 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:** Demilitarization: No

Fiig:

A08900

Mil-std (military Standard):

Mil-c-5541 spec.