

View Online at <https://aerobasegroup.com/nsn/5340-01-433-0250>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 0.320 inches and 0.340 inches

**Second Leg Length:**

0.380 inches

**End Application:**

Pacer dawn

**Second Leg Width:**

Between 0.367 inches and 0.373 inches

**Second Leg Hole Diameter:**

0.070 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.185 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.090 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**Center Section Height:**

0.630 inches

**Center Section Width:**

Between 0.367 inches and 0.373 inches

**Center Section Thickness:**

0.063 inches

**First Leg Width:**

Between 0.367 inches and 0.373 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

No hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

Between 40.0 degrees and 50.0 degrees

**Special Features:**

Hole in center, 0.200 min 0.206 maximum dia; requested name - tab, lock, arresting hook system

**Material:**

Steel comp 301

**Material Specification:**

Mil-s-5059 cond. 1/2 hard military specification single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-s-5059 spec.