
NSN 5340-01-433-8465

Double Angle Bracket - Page 1 of 2





Mounting Hole Type:
Plain
First Leg Length:
6.510 inches
Second Leg Length:
6.510 inches
Reinforcement Method (non-core):
Turned edge center section
End Application:
Nsn 2320-01-318-9902 het (heavy equipment transporter)
First Leg Hole Diameter:
0.406 inches
First Leg Thickness:
0.187 inches
Second Leg Thickness:
0.187 inches
Center Section Height:
34.380 inches
Center Section Width:
3.000 inches
Center Section Thickness:
0.187 inches
First Leg Width:
3.000 inches
First Leg Distance Between Hole Centers Along Width:
1.750 inches
First Leg Distance Between Hole Centers Along Length:
1.250 inches
First Leg Distance From Edge To Hole Center Along Width:
0.625 inches
First Leg Distance From Edge To Hole Center Along Length:
0.625 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Four holes
Second Leg Relationship To First Leg:
Identical
First Leg Angle:
0.190 radians
Second Leg Angle:
0.190 radians

NSN 5340-01-433-8465

Double Angle Bracket - Page 2 of 2

Material:

Steel

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0

