## NSN 5340-01-433-9884

Spacing Threaded Standoff - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-433-9884 **Thread Class:** 2b left internal (includes through thread) **Thread Direction:** Right-hand right external Thread Length: 0.1900 inches right external Length: 0.6880 inches **Cross-sectional Shape:** Hexagon Width Across Flats: 0.1900 inches Thready Qty Per Inch (tpi): 40 right external **Thread Size:** 0.1120 inches left internal (includes through thread) **Right Projection Diameter:** 0.1120 inches **Right Projection Length:** 0.1900 inches Material:

Steel comp 203ez standoff or steel comp 303 standoff or steel comp 303 plus x standoff or steel comp 303ma standoff or steel comp 303pb standoff or steel comp 303se standoff or steel comp 416 standoff or steel comp 416 plus x standoff or steel comp 416se standoff or steel comp 430f standoff or steel comp 430fse standoff

## **Material Specification:**

Astm-a-581 assn standard single material response standoff

**Surface Treatment:** 

Passivate standoff

**Surface Treatment Specification:** 

Mil-f-14072, e300 military specification single treatment response standoff

Style Designator:

Left internal and right external thread

**Thread Series Designator:** 

Unc right external

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A08900

Mil-std (military Standard):

Mil-f-14072 spec.